

Fire Management Handbook Policy 822

Idaho Department of Lands
Agency Guidance Document
Bureau of Fire Management
Coeur d'Alene Staff Office
(208) 769-1525
comments@idl.idaho.gov

# **Railroad Fire Prevention and Suppression**

In accordance with <u>Executive Order 2020-02</u>, <u>Transparency in Agency Guidance Documents</u>, guidance documents promulgated by the department are not new laws. They represent an interpretation of existing law, except as authorized by Idaho Code or incorporated into a contract.

#### **Agency Contact**

Chief, Bureau of Fire Management

#### **Purpose**

Define the roles and responsibilities of the Idaho Department of Lands and railroad companies, including railroad fire prevention and suppression.

### **Applicability**

IDL Fire Wardens who administer the Railroad Fire Prevention Inspection Checklist process.

## 1. Associated Policies

- A. Title 38, Section 107, Idaho Code
- B. Title 38, Section 118-120, Idaho Code
- C. Fire Origin and Cause Investigation, FMH 862

# 2. Exception Authorization

Exceptions to this policy may be granted by the Chief, Bureau of Fire Management.

## 3. Definitions

None

# 4. Policy

Idaho Code requires railroad employees to report fires on or near the right-of-way, or other operating property of the railroad, and for the employee or any other person in authority to take measures to control and extinguish such fires.

In addition, Fire Wardens should assure that all common carrier railroad rights-of-way, station grounds, or operating areas in or near timber or range land are reasonably free from combustible and flammable material(s).

Idaho Department of Lands, Bureau of Fire Management FMH 822: Railroad Fire Prevention and Suppression

Revised: April 2020

Page 1 of 3

## 5. Procedures

#### A. Notification

Immediately upon notification of a fire burning on a railroad right-of-way, station grounds, or other operating property, the Fire Warden shall offer assistance, on a reimbursement basis, to control and extinguish the fire.

Upon notification of a fire having spread from the railroad right-of-way, station grounds, or other operating property to forest or range lands, the Fire Warden shall take charge of the suppression action. The Fire Warden may issue instructions to the railroad for reasonable and prudent measures necessary to control or extinguish the fire. The railroad shall be liable for the costs incurred by the Idaho Department of Lands, or its authorized agencies, in controlling or extinguishing the fire. Suppression cost will be collected as per Fire Origin and Cause Investigation, FMH 862.

#### **B.** Coordination

Fire Wardens will maintain a coordinated and cooperative effort with railroad personnel. The procedures are as follows:

- 1. Fire Wardens, railroad officials, and the local interagency dispatch office should exchange personnel directories which list personnel available, off-duty telephone numbers, etc.
- 2. Fire Wardens will notify the railroad immediately when any fire occurs on railroad property or as the result of railroad activity. Location should be given by railroad milepost, if known.
- 3. Fire Wardens will request a detection and suppression patrol behind trains when burning conditions warrant. Such conditions might be whenever the fire danger is at the Fire Preparedness Level IV (very high or extreme).
- 4. Railroad crews may participate in fire training sessions when space is available.
- 5. Railroad officials should be kept informed of burning conditions, special precautions required, etc.

## C. Inspections

The railroad district superintendent or local road master should be contacted prior to the start of the fire season and requested to participate in a joint inspection of right-of-ways and operating areas.

IDL inspecting officers should point out needed improvements as the inspection progresses, as well as recording all items that need correcting. The **Railroad Fire Prevention Inspection Checklist, Attachment 1**, is used as a guide when making inspections. A copy of the recorded deficiencies will be given to the railroad's representative.

Items to consider when inspecting right-of-ways and switch yards are:

- 1. Piles of discarded ties which pose a fire hazard.
- 2. Slashings and other debris on the right-of-way which pose a fire hazard.

naust or

Revised: April 2020

Page 3 of 3



# IDAHO DEPARTMENT OF LANDS RAILROAD FIRE PREVENTION INSPECTION CHECKLIST

## **Sections Inspected:**

Railroad:	Preseason:		To:; From:To:
Date:			Follow-up:
ltom	Satisfactory		Remarks
Item	Yes	No	(Specify Deficiencies, Locations, and Needed Treatment)
Right-of-Way			
Presence of flammable vegetation and debris within ballast area (grass, weeds, chips, etc.)			
2. Presence of flammable vegetation and debris between ballast and fireguards, within the right-of-way (grass, weeds, chips, brush, ties, etc.)			
3. Presence of flammable vegetation and debris adjacent to trestles, bridges, and tunnel entrances			
Condition of existing fireguards (free of vegetation, erosion problems)			
<ol><li>Additional fireguard needs (new construction, relocation)</li></ol>			
6. Areas needing chemical treatment			
7. Hazardous areas adjacent to right- of-way			
Compliance with burning permit requirements and air quality regulations			
<b>Equipment and Structures</b>			
Conditions of railroad power lines and poles			
Spark arresters used on internal combustion engines:     A. Locomotives			
B. Other			
Quantity, condition, and location of firefighting tools and equipment:     A. Shovels			
B. Axes			
C Bulackie	1		

Item		Satisfactory			Remarks	
		Yes	No	(Specify Deficie	ncies, Locations, and Needed Treatment)	
D. Back	pack Pumps					
E. Fire I	Extinguishers					
F. Wate	r Tenders					
G. Porta	able Pumps					
H. Othe	r					
12. Presenc adjacent structure						
	<u>Personnel</u>					
Pertainir (smoking adequat	nce to Idaho, Rules ing to Forest Fire Protection g, camp and warming fires, e mop-up and patrol of way fires)					
14. Fire prev	vention instructions given to employees					
15. Fire sup planned	pression training given or					
16. Annual f	ire plan prepared					
Ad	ditional Remarks					
correctiv	s, special hazards, re actions recommended, o inspections planned, etc.					
Signed:						
	Railroa	id Repres	entative		Date	
-	Title					
-	Idaho Department of Lands				Date	
-		Title				

Instructions: Inspector to check appropriate "Yes" or "No" column, and thoroughly describe deficiencies and corrective actions needed. Indicate "NA" if not applicable. Prepare sufficient copies for Area/District/Association and railroad company distribution.