Appendix 3 – Fire Apparatus/Equipment Rates

Class or Type	Minimum Staffing	Unoperated Hourly Rate	Operated Hourly Rate
	Struct	ure Engines	
E1	4	\$218	\$342
2	3	\$171	\$264
	Wi	Idland Engines	
VE3	3	\$130.50	\$224
VE4	2	\$114	\$176
VE5	2	\$81.50	\$144
/E6	2	\$73.50	\$136
	Tactic	al Water Tenders	· ·
L	2	\$151	\$212
2	2	\$140.50	\$202
		ort Water Tenders	
1	1	\$152	\$181
2	1	\$110	\$140
3	1	\$81.50	\$112
-		vned Support Vehicles	
UV		\$11	
2 Ton 4 x 4	1	\$11	
Ton 4 x 4	+	\$13	1
. Ton 4 x 4	+	\$15	
		Ambulances	
LS	2	\$122	\$189
_S	2	\$122	\$185
LS	2	\$112	\$172
15	2	· ·	\$172
		EMS Kits	
LS Kit		\$21	
LS Kit		\$18	
LS Kit		\$14	
		Firefighting Apparatus	
RFF 1	3	\$204	\$278
RFF 2	3	\$154	\$226
RFF 3	3	\$112	\$186
		REMS	
REMS 1	4	\$83	\$213
EMS 2	4	\$64.50	\$194.50
EMS 3	2	\$56.50	\$121.50
	Po	ortable Pumps	
-		\$13	
2		\$9	
3		\$7	
	Ma	edical Trailers	
edical Trailer	T	\$86	
		onal Requirements	1

*When staffing levels exceed the approved "maximum staffing" listed within the FBS rate agreement, the additional staff must be approved prior to mobilization and must be identified on the resource order. Example: NWCG Minimum Staffing for a Type 6 engine is two people, FSOs requirement is three and notes that on their agreement. FSO has an opportunity to bring a trainee, now the staffing is four, FSO must get approval for fourth person prior to mobilization.

** For Operated agreement holders, the standard personnel rate for crew swaps, additional staffing or vehicle repairs, is \$32.00/hr for each approved crew member.

Rates Revised 04/2025