


From: [Marde Mensinger](#)
To: [Rulemaking](#)
Subject: FW: Comment
Date: Thursday, September 11, 2025 11:15:52 AM
Attachments: [image995396.png](#)
[image357698.png](#)
[image568885.png](#)

Hi Anna Maria,

Here is another comment for the rule.

Marde Mensinger - CPM®
Navigable Waterways Program Manager
Idaho Department of Lands
300 N. 6th Street, Suite 103 Boise, ID 83702
Office: (208) 334-0248
Email: mmensinger@idl.idaho.gov
Web: <https://www.idl.idaho.gov>



From: Alexander Nickolatos <anickolatos@korepower.com>
Sent: Thursday, September 11, 2025 10:25 AM
To: Marde Mensinger <MMensinger@idl.idaho.gov>
Subject: Comment

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Hi,

Thank you for hosting the call today. I noticed that on page 37 ("28"), a pylon is no longer defined with the deletions. As edited, it seems to read "A that is placed in placed into the lakebed and used to support encroachments."

I'm sure I'll have some other thoughts.

Alexander

Alexander Nickolatos
Chief Financial Officer
[+1 \(208\) 758-9394](tel:+12087589394)

KOREPower.com



KOREPOWER

CONFIDENTIALITY NOTICE If you received this email in error, please contact the sender and delete it immediately. The information in this email may contain proprietary or confidential information and if you are not the intended recipient, any type of use, review, distribution or reproduction of it is strictly prohibited.